



MACHINE DATA SHEET

Customer Service #: (570) 546-9663 · To Order Call: (800) 523-4777 · Fax #: (800) 438-5901

MODEL G1023S 10" TABLE SAW 3 HP SINGLE-PHASE 220V

Product Dimensions:

Weight..... 340 lbs.
 Length/Width/Height..... 46 x 32 x 34 in.
 Foot Print (Length/Width)..... 20 x 20 in.

Shipping Dimensions:

Carton #1

Type..... Cardboard
 Content..... Machine
 Weight..... 344 lbs.
 Length/Width/Height..... 29 x 30 x 40 in.

Carton #2

Type..... Cardboard
 Content..... Fence
 Weight..... 77 lbs.
 Length/Width/Height..... 57 x 20 x 7 in.

Electrical:

Switch..... Magnetic with Thermal Overload Protector
 Switch Voltage..... 220V
 Cord Length..... 10 ft.
 Cord Gauge..... 10 gauge
 Minimum Circuit Size..... 20 amp
 Plug Included..... No

Motors:

Main

Type..... TEFC Capacitor Start Induction
 Horsepower..... 3 HP
 Voltage..... 220V
 Prewired..... 220V
 Phase..... Single
 Amps..... 18A
 Speed..... 3450 RPM
 Cycle..... 60 Hz
 Number Of Speeds..... 1
 Power Transfer Triple V-Belt Drive
 Bearings..... Shielded and Lubricated

Main Specifications:

Blade Information

Maximum Blade Diameter..... 10 in.
 Maximum Width Of Dado..... 13/16 in.
 Blade Tilt..... Right 0-45 deg.
 Arbor Size..... 5/8 in.
 Arbor Speed..... 4200 RPM
 Arbor Bearings..... Shielded and Lubricated
 Rim Speed..... 11000 FPM

Cutting Capacities

Maximum Depth Of Cut At 90 Degrees.....	3-1/8 in.
Maximum Depth Of Cut At 45 Degrees.....	2-1/8 in.
Maximum Rip To Right Of Blade-Standard.....	26 in.
Maximum Rip To Right Of Blade-Optional.....	52 in.
Maximum Rip To Left Of Blade.....	8 in.

Table Information

Floor To Table Height.....	34 in.
Table Size Length.....	20 in.
Table Size Width.....	27 in.
Table Size Thickness.....	1-3/4 in.
Table Size With Extension Wings Length.....	40 in.
Table Size With Extension Wings Width.....	27 in.
Table Size With Extension Wings Thickness.....	1-3/4 in.
Distance Front Of Table To Center Of Blade.....	17 in.
Distance Front Of Table to Blade At Maximum Cut.....	12 in.

Fence Information

Fence Type.....	SHOP FOX Classic
Fence Size Length.....	42 in.
Fence Size Width.....	3-15/16 in.
Fence Size Height.....	2-1/2 in.
Fence Rail Type.....	Angle Iron/Square Tubing
Fence Rail Length.....	47 in.
Fence Rail Width.....	Front 4, Rear 2-5/8 in.
Fence Rail Height.....	3 in.

Miter Gauge Information

Miter Gauge Slot Type.....	T-Slot
Miter Gauge Slot Size Width.....	3/4 in.
Mithter Gauge Slot Size Height.....	3/8 in.

Construction

Table Construction.....	Precision Ground Cast Iron
Wings Construction.....	Precision Ground Cast Iron
Cabinet Construction.....	Pre-Formed Steel
Trunnions Construction.....	Cast Iron
Body Assembly Construction.....	Pre-Formed Steel
Fence Assembly Construction.....	HDPE Plastic Side Panels, Heavy Walled Rectangular Steel Tubing Body
Rails Construction.....	Angle Iron
Miter Guage Construction.....	Cast Iron
Guard Construction.....	Steel and Clear Plastic

Other Related Information

Paint.....	Powder Coated
Number Of Dust Ports.....	1
Dust Port Size.....	4 in.
Long Rails.....	G9221
Motor Cover.....	G4223
Mobile Base.....	G7314Z

Other Specifications:

Country Of Origin	Taiwan
Warranty	1 Year
Serial Number Location	ID Label On Front of Stand, Above Grizzly Nameplate
Awards	Wood Magazine Best New Tool 2000
Assembly Time	1 hour

Features:

- Two Cast Iron Extension Wings
- All Sealed Ball Bearing Construction
- Blade Guard
- Extra Large Handwheels
- Heavy Duty Miter Gauge
- Magnetic Safety Switch Protects Motor and Operator
- One Piece Steel Cabinet-Style Stand
- Powder Coated Paint
- Precision Ground Cast Iron Table with Beveled Edge
- Shop Fox Classic Table Saw Fence
- All Machined Cast Iron Internal Structure
- Two Table Inserts for Blade and Dado
- Precision Ground Cast Iron Wings
- Angled Dust Chute in Bottom of Stand
- Hinged Motor Cover
- Clear Plastic Guard with Steel Splitter
- Inboard and Outboard Arbor Bearings